




STATUTORY DECLARATION Registration of Fittings

I, <u>J</u>	oel Feldman	, Vice Presider	it, Engineering	In this space, show facsimile of manufacturer's logo or trademark as it will appear on the fitting.				
of S	(name of applicant) Swagelok Company	(position title) (m	ust be in a position of authority)	Swagelok				
		(name of manufacturer)	B. C. P. C. HOUSE SHAPE CO. C.	H -				
locat	ed at 29500 Solon Roa	ad, Solon, Ohio 44139 USA (s	see Attachment A)					
do se	olemnly declare that the	(plant address) e fittings listed hereunder, whi	ch are subject to the Safety	Codes Art				
	ck one)	mangs iisted Heredilder, Will	or are subject to the curety	oodes net				
\boxtimes	comply with the requ	irements of ARPM Hose Hand	dbook which sporth American Standard)	pecifies the dimensions,				
	materials of construction, pressure/temperature ratings and identification marking of the fittings, or							
	are not covered by th	vered by the provisions of a recognized North American standard and are therefore manufactured						
V. 10 / 10	to comply with	supported by the attached						
	111111111111111111111111111111111111111	(title of code of construction or other						
	data which identifies	the dimensions, materials of	construction, pressure/tempe	erature ratings and the basis				
		the marking of the fittings for	rew rathers we Sill	60				
1 fourt				program which has been				
		nufacture of these fittings is c						
verifi	ed by the following auth	iority, BSI	as being suitable	e for the manufacture of				
these	e fittings to the stated st	tandard. The fittings covered	by this declaration, for which	I seek registration, are				
Cat	egory D Type Fittings							
	3 , , ,	(brief description of fitting	ngs)	-				
In su	pport of this application	, the following information, ca	lculations and/or test data a	re attached:				
ISC) 9001:2015 Certificate.	Attachment A, Attachment B	. Catalog Information and otl	ner Support Documents				
10.00.00			3					
DEC	LARED before me at	in the	of					
		(city)	(0	province or state)				
this	2000	y of (Month)	(Year)					
(prir	Unable to ge	et a notary signat	ure					
(piii		& COVID-19 situ	- Day 1 - 2					
	C . 1		frel	C. Fell				
(sign	(a Commissioner of Oc		(signature o	of applicant)				
For /	ABSA Office Use Only							
NOT	15.			13				
To th	ne best of my knowledge	e and belief, the application m	neets the requirements of the	e Safety Codes Act and CSA				
		2020-05273 cepted for registration						
Regi	stration Number:	SAFETY CODES ACT - PROVINCE OF ALBERTA						
		ACCEPTED: 0D22748.52 See acceptance letter for	(Signature of t	he Administrator/SCO)				
Date	Registered:	conditions of registration.		-10-16				
	formation you provide is necess ure Equipment Discipline.	Date: 2020-11-13 a By Fax Poassift of ZANA RADISAVLJEVIC, P. Tech. (Eng.)	ograms as required by the Alberta Sa	fety Codes Act and Regulations in the				
		This stamp and signature have been affixed electronical to this registered design as required by Section 20(1) of the Pressure Equipment Safety Regulation, in accordance with the Electronic Transactions Act.						





Canadian Registration Number Submittal
Category D Crimped Swagelok X Series PTFE Hose

Attachment B: Scope of Registration for Crimped Swagelok X Series PTFE Hose Assemblies (Category D)

This document represents the scope of the Swagelok Coreflex XC and XT hose (X Series) and crimped assemblies covered by this submission for CRN approval. These products have been evaluated in accordance with the Association for Rubber Products Manufacturers (ARPM) Hose Handbook.

Summary Table

Х	Maximum Pressure (psig)					
Series Hose Size	At Minimum Temp. (-65°F)	Room temperature (0°-100°F)	At Maximum Temp. (450°F)	Pressure Retaining Material	End Connections and Sizes	Design Code of Construction
1/4"	3500	3500	3075		Swagelok Tube Fitting [SL, SM] 1/8" – 2" (3-50mm)	
3/8"	3000	3000	1675	Core Smooth bore PTFE (XT Series) OR Smooth bore carbon black	Male & Female NPT Tapered Pipe Fitting [PM, PF] 1/8" – 2" Male & Female ISO/BSP Tapered (ISO 7) Pipe Threads [MT, FT] 1/4" – 1"	
1/2"	1800	1800	1665	filled PTFE (XC Series) Braid Fiber braid reinforcement AND	Male 37° JIC & Female 37° JIC with female swivel nut [AN, AS] 1/4" – 2" Tube Butt Welds [TB] 1/2" – 1"	Association for Rubber Products Manufacturers (ARPM) Hose
3/4"	1250	1250	900	304 SS Braid Reinforcement End Connections 316 SS	Female VCO O-ring Face seal Fitting [VF] 1/8" – 2" Female VCR Metal Gasket Face seal Fitting [RF] 1/8" – 2" Male ISO/BSP Parallel Threads	Handbook
1"	1000	1000	895	Crimp on Collar 300 series SS	W/ 60° Male cone (ISO 228) [MS] 1/4" – 1" Female ISO/BSP Parallel Threads (ISO 228) [FS] 1/4" – 1" 2020-05273 ABSA SAFETY CODES ACT - PROVINCE OF ALBERTA	

Product Description

ACCEPTED: 0D22748.52

See acceptance letter for conditions of registration.

Date: 2020-11-13

By: Zono Reconfirm

This stamp and signature have been affixed electronically to this registered design as required by Section 20(1) of the Pressure Equipment Safety Regulation, in accordance with the Electronic Transactions Act.

ZANA RADISAVLJEVIC, P. Tech. (Eng.)




Canadian Registration Number Submittal
Category D Crimped Swagelok X Series PTFE Hose

September 1, 2020 Page 2 of 2

XT series is standard Swagelok virgin PTFE-lined hose with a fiber braid reinforcement and 304 stainless steel reinforcement with a silicone cover. The XC series consist of the same construction but has Swagelok carbon black filled virgin PTFE liner. The 1 inch nominal ID hose for both XT and XC series is constructed with two stainless steel braids and no fiber braid. All X Series hoses undergo production testing in accordance with ASTM D380 "Test Methods for Rubber Hose" (version current to hose production date).

Configurations

All end connection inserts are crimped onto the hose using crimp collars.



Product Options:

Additional options that do not affect pressure and/or temperature ratings may be made available and are within the scope of this approval. Examples of these would include, but not limited to, the following:

Cover Options

- Armor guard Interlocking, flexible 302 stainless steel.
- Fire jacket Woven fiberglass coated with specially compounded aerospace-grade silicone rubber
- Spiral guard Helical HDPE plastic

Tag and Marking Options

- Mat tag Polyester tag with customer-specified text
- Lanyard tag Stainless steel tag with customer-specified text

End Connection Seals or Sealants Options

- VCO O-rings
- Pipe Thread ends thread sealant

Quality System

The Swagelok Company quality system complies with the requirements of ISO 9001:2015. The Swagelok Company maintains BSI Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate.

References

The product catalog does not represent the full scope of the registration but rather details some of the most common options. Hose Assemblies, Bulk Hose, and End Connections Product Catalog MS-01-180.

Attachment A. Swagelok Manufacturing Locations

This document lists the Swagelok locations where end item or component level manufacturing activities take place.

Swagelok Company	Swagelok Company (Falon 1)	
29500 Solon Road	348 Bishop Road	
Solon, Ohio 44139	Highland Heights, Ohio 44143	
USA	USA	
Swagelok Company (Highland)	Swagelok Company (Falon 2)	
318 Bishop Road	358 Bishop Road	
Highland Heights, Ohio 44143	Highland Heights, Ohio 44143	
USA	USA	
Swagelok Company (OFC)	Swagelok Company (HPF)	
29495 F.A. Lennon Drive	6050 Cochran Road	
Solon, Ohio 44139	Solon, Ohio 44139	
USA	USA	
Swagelok Company (Atlantic)	Swagelok Company (Snow Metal)	
26651 Curtiss Wright Parkway	6060 Cochran Road	
Willoughby Hills, Ohio 44092	Solon, Ohio 44139	
USA	USA	
Swagelok Company (Micro) 26653 Curtiss Wright Parkway Willoughby Hills, Ohio 44092 USA	Swagelok Company (Alfred) 29500 Ambina Drive Solon, Ohio 44139	
Swagelok Hose Services Company (SHSC)	Swagelok Company (Strongsville)	
29900 Solon Industrial Parkway	15400 Foltz Road	
Solon, Ohio 44139	Strongsville, Ohio 44119	
Swagelok (China) Fluid System Technologies Ltd. Changshu Export Process Zone Changshu Economic Development Zone Changshu, Jiangshu 215513 China	Swagelok Limited Ballafletcher Road Tromode IM4 4RA Isle of Man	



9410 - 20 Ave N.W. Edmonton, Alberta, Canada T6N 0A4

Tel: (780) 437-9100 / Fax: (780) 437-7787

November 13, 2020

Attention: Tanya Francis

TECHNICAL STANDARDS & SAFETY AUTHORITY

345 CARLINGVIEW DRIVE TORONTO, ON M9W 6N9

The design submission, tracking number 2020-05273, originally received on October 30, 2020 was surveyed and accepted for registration as follows:

CRN: 0D22748.52 **Accepted on:** November 13, 2020

Reg Type: NEW DESIGN **Expiry Date:** October 16, 2030

Drawing No.: CRIMPED SWAGELOK X SERIES PTFE - ATTACHMENT A & B

Fitting type: HOSES 1/4" TO 1" (LIQUID, AIR OR GAS SERVICE) Design registered in the name of : SWAGELOK COMPANY

The registration is conditional on your compliance with the following notes:

As indicated on AB-41 Statutory Declaration form and submitted documentation, the code of construction is other engineering analysis.

- It is our understanding that the fitting(s), included as the scope of this submission, that is(are) subject to the Safety Codes Act shall comply with the requirements of the indicated Standard or Code of Construction on the AB-41 Statutory Declaration as supported by the attached data which identifies the dimensions, materials of construction, press./temp. ratings and the basis for such ratings, and the identification marking of the fittings.
- This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration form.
- This registration is valid only until the indicated expiry date and only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date.
- Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3369 or fax (780) 437-7787 or e-mail Radisavljevic@absa.ca.

Sincerely,

RADISAVLJEVIC, ZANA, P. Tech. (Eng.)

Zana Padisay/jevil

DOP Cert. No. D00003136

2020-05273 Page 1 of 1