

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below



| I, Joel Feldman, Vice President of Engi | neering | | | |
|--|---|---|--|--|
| (N | ame and Position, e.g. President, Plant Mana | ger, Chief Engineer) | | |
| of Swagelok Company | | | -83 | |
| | (Name of Manufacturer) | | | |
| Located at 29500 Solon Road, Solon | Ohio 44139 USA | (440) 248-4600 | (440) 349-5970 | |
| | f Address) | (Telephone No.) | (Fax No.) | |
| and Pressure Vessels Regulation | s listed hereunder, which are subje , comply with all of the requiremen Manufacturers (ARPM) Hose Han | s of | ds and Safety Act, Boilers | |
| | (Title of recognized North American S | | | |
| which specifies the dimensions, mate | rials of construction, pressure/tempera | ture ratings, identification markir | ng the fittings and service; | |
| pressure/temperature ratings and the | as of a recognized North American as supported by the attached da ne basis for such ratings, the markin | a which identifies the dimension g of the fitting for identification | ons, material of construction, and service. | |
| I further declare that the manufacture of the | | system meeting the requirem | ents of 150 9001.2015 | |
| The items covered by this declaration, for whi | by the following authority, BSI | Hose | type fittings. In support of | |
| this application, the following information and/ | | 11000 | type illuigs. In support of | |
| ISO 9001:2015 Certificate, Attachment | | on and other Support Docur | ments | |
| | (drawings, calculations, test repor | ts, etc.) | <u> </u> | |
| | | | | |
| Declared before me at | in the _ | | of | |
| the day of | _AD 20 | | | |
| Commissioner for Oaths: | | | | |
| Unable to get a notar | ry signature or | 6 3 | | |
| seal due to COVID-1 | | Indl. | all | |
| Septemberenhilire) 2020 | | (Signature of | Declarer) | |
| To the best of my knowledge and belief, the Technical Standards and Safety Act, Boil CSA Standard B51 and is accepted for region | lers and Pressure Vessels Regulation | of the Standards and Safety Authority | Boilers and Pressure Vessels Safety Program | |
| CRN: 0D22736.5 | has | Document Deen digitally CRN: 0D22738 | STERED 5 | |
| Registered by: | has optin | stamp size steen sized for 11 Date: Octobro | 14 2020 | |
| Dated: October 14, 2 | 2020 × 17 | documents Date: Octobe | | |
| | | For scope of registratio | n see the stamped | |
| | October 14, 2030 | attachment A and B. | The second secon | |



Canadian Registration Number Submittal
Category D Crimped Swagelok CT Series PTFE Hose

THIS IS PART OF CRN

0D22736.5

Technical Standards and Safety Authority

Boilers and Pressure Vessels Safety

Program

September 1, 2020 Page 1 of 2

Attachment B: Scope of Registration for Crimped Swagelok CT Series PTFE Hose Assemblies (Category D)

This document represents the scope of the Swagelok Coreflex (CT series) hose and crimped assemblies covered by this submission for CRN approval. These products have been evaluated in accordance with the Association for Rubber Products Manufacturers (ARPM) Hose Handbook.

Summary Table

| СТ | | | Pressure | | | |
|------------------------|------------------------|-----------------------------------|------------------------|--|---|--|
| Series Hose Size | At Minimum Temp. | Room temperature (0°-100°F) | At Maximum Temp. | Retaining Material | End Connections and Sizes | Design Code of Construction |
| 1/2" | 1500 psig @ -65°F | 1500 psig | 1500 psig @ 450°F | | Swagelok Tube Fitting [SL SM] 1/8" – 2" (3-50mm) | |
| 3/4" | 1100 psig @ -65°F | 1110 psig | 900 psig @ 450°F | <u>Core</u> Helical Convoluted PTFE | Male & Female NPT Tapered Pipe Fitting [PM PF] 1/8" – 2" Female & Male VCO O-ring Face seal Fitting [VF, VM] 1/8" - 2" | |
| 1" | 750 psig @ -65°F | 750 psig | 490 psig @ 450°F | Braid 304 SS Braid Reinforcement End Connections | Male & Female ISO/BSP Tapered (ISO 7) Pipe Threads [MT FT] 1/4" – 1" Male 37° JIC & Female 37° JIC with female swivel nut [AN AS] 1/4" – 2" | Association for Rubber Products Manufacturers (ARPM) Hose Handbook |
| 1 1/2" | 675 psig @ -20°F | 700 psig | 330 psig @340°F | 316 SS Crimp on Collar 300 series SS | Tube Butt Welds [TB] 1/2" – 1" Female & Male VCR Metal Gasket Face Seal [RF, RM] 1/8" – 2" Female ISO/BSP Parallel | |
| 2" | 525 psig @ -20°F | 525 psig | 485 psig @340°F | | Threads (ISO 228) [FS] 1/4" – 1" | |



Canadian Registration Number Submittal
Category D Crimped Swagelok CT Series PTFE Hose

THIS IS PART OF CRN
0D22736.5
Technical Standards and Safety Authority
Boilers and Pressure Vessels Safety

Program


September 1, 2020 Page 2 of 2

Product Description

Swagelok's CT series hose is helical convoluted PTFE, 300 series stainless steel braided hose. All CT series hoses undergo production testing in accordance with ASTM D380 "Test Methods for Rubber Hose" (version current to hose production date).

Configurations

All end connection inserts are crimped onto the hose using crimp collars.



Product Options:

Additional options that do not affect pressure and/or temperature ratings may be made available and are within the scope of this approval. Examples of these would include, but not limited to, the following:

Cover Options

- Armor guard Interlocking, flexible 302 stainless steel.
- Fire jacket Woven fiberglass coated with specially compounded aerospace-grade silicone rubber
- Spiral guard Helical HDPE plastic

Tag and Marking Options

- Mat tag Polyester tag with customer-specified text
- Perma tag (JT only)- Polyester tag encapsulated in platinum-cured silicone with customerspecified text
- Lanyard tag Stainless steel tag with customer-specified text

End Connection Seals or Sealants Options

- VCO O-rings
- Pipe Thread ends thread sealant

Quality System

The Swagelok Company quality system complies with the requirements of ISO 9001:2015. The Swagelok Company maintains BSI Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate.

References

The product catalog does not represent the full scope of the registration but rather details some of the most common options. Hose Assemblies, Bulk Hose, and End Connections Product Catalog MS-01-180.

THIS IS PART OF CRN

0D22736.5

Technical Standards and Safety Authority

Boilers and Pressure Vessels Safety

Program

Attachment A. Swagelok Manufacturing Locations

This document lists the Swagelok locations where end item or component level manufacturing activities take place.

| Swagelok Company | Swagelok Company (Falon 1) |
|---|--|
| 29500 Solon Road | 348 Bishop Road |
| Solon, Ohio 44139 | Highland Heights, Ohio 44143 |
| USA | USA |
| Swagelok Company (Highland) | Swagelok Company (Falon 2) |
| 318 Bishop Road | 358 Bishop Road |
| Highland Heights, Ohio 44143 | Highland Heights, Ohio 44143 |
| USA | USA |
| Swagelok Company (OFC) | Swagelok Company (HPF) |
| 29495 F.A. Lennon Drive | 6050 Cochran Road |
| Solon, Ohio 44139 | Solon, Ohio 44139 |
| USA | USA |
| Swagelok Company (Atlantic) | Swagelok Company (Snow Metal) |
| 26651 Curtiss Wright Parkway | 6060 Cochran Road |
| Willoughby Hills, Ohio 44092 | Solon, Ohio 44139 |
| USA | USA |
| Swagelok Company (Micro) 26653 Curtiss Wright Parkway Willoughby Hills, Ohio 44092 USA | Swagelok Company (Alfred) 29500 Ambina Drive Solon, Ohio 44139 |
| Swagelok Hose Services Company (SHSC) | Swagelok Company (Strongsville) |
| 29900 Solon Industrial Parkway | 15400 Foltz Road |
| Solon, Ohio 44139 | Strongsville, Ohio 44119 |
| Swagelok (China) Fluid System Technologies Ltd. Changshu Export Process Zone Changshu Economic Development Zone Changshu, Jiangshu 215513 China | Swagelok Limited Ballafletcher Road Tromode IM4 4RA Isle of Man |