INSPECTION SERVICES SECTION BOILER/PRESSURE VESSEL BRANCH

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

ſ

NOVA SCOTIA YUKON

PRINCE EDWARD ISLAND NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

NOTITIVES! E	MITORIES			
MANUFACTURERS NAME: Swagelok Company				
MANUFACTURERS ADDRESS: 29500 Solon Road, Solon, Ohio 44139-	3492			
Headquarters: 29500 Solon Road, Solon, Ohio 44	4139-3492 (See Attachment A)			
SATESORY OF FITTINGS TO BE REGISTERED, CIRCLE ONE CATEGO	ORY ONLY TITLE OF THE STANDARD OF CONSTRUCTION			
Pipe filtings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or re B Flanges; all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels pressure transmitters C Certified capacity-rated pressure relief devices acceptable as primary over pressure.	for unlisted components where applicable			
H Pressure retaining components that do not fall into one of the above categories				
N Nuclear components: Class 1 □ Class 2 □ Class 3 □, (Meeting AECB or ASI	ME requirements)			
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEA	R ON THE PRODUCT FORGED WELDED WROUGHT S' CAST OTHER DESCRIBE OTHER:			
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACT	UAL ITEMS TO BE REGISTERED:			
Attachment A, Attachment B, Support Documents, Catalog Information, ISO Items To Be Registered: Swagelok IPT Series Fittings	O 9001:2008 Quality System Certificate			
my knowledge represents the product for which registration is sought. The temperature ratings, and identification markings are in accordance with the manufacture of these fittings is regulated by a Quality Control Program which or in part and has been verified by The British Standards Institution as declaration conscientiously believing to be true, and knowing that it is of the Signature of Declarer: Declared before me at This 14th day of 1000 AD 2010 Ismistration Resident Policy Control of Section 1000 AD 2010 Ismistration Control of	dimensions, materials of construction, pressure herein named standards. I further declare that the chextends to each plant where fabrication occurs in whole is being suitable for that purpose and I make this solemn he same force and effect as if made under oath. USETHIS SPACEFORTHELL LISTED REPORTED THE LAISTAN OFFICIAL STALL ortage County c, State of Ohio Expires: 03/08/2019			
This registration must be revalidated after ten (10)	venonty use			
1	A STATE OF THE STA			
CRN: <u>0A18288.5</u>	ACCEPTED			
FID#: 1214	PROVINCE OF PRINCE EDWARD ISLAND COMMUNITIES, LAND & ENVIRONMENT			
Notes: 1. All filtings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation.	DATE: April 8/16 INSPECTION SERVICES SECTION			
at a maximum interval of five (5) years.	BOIL AB LEGGER ABOUTE			

Attachment B: Scope of CRN Registration for Swagelok Cone and Thread IPT Fittings (Category A)

This document represents the scope of the Swagelok Cone and Thread IPT Fittings covered by this submission for CRN approval. The Swagelok Cone and Thread IPT Fittings were designed and evaluated in accordance with ASME B31.3 Chapter IX for unlisted components.


Summary Table

Product Description	Materials	End Connections	Sizes	Maximum Rated Pressure (psi)		Design Code
				At ambient temperature	At maximum temperature (1000F)*	of Construction
Cone and Thread Fittings – IPT Series	316 SS A276 or A479	Medium-Pressure Cone and Thread	1/4"	20000	16800	ASME B31.3 Chapter IX (unlisted components)
			3/8"	20000	16800	
			9/16"	20000	16800	
			3/4"	20000	16800	
			1"	20000	16800	


^{*}Max temperature pressure ratings were obtained by multiplying the medium pressure working rating listed in the product catalog by the listed elevated temperature factor for Strain-Hardened 316 SS (0.84)

Product Illustration





Configurations



Typical Product Characteristics

Some product options could affect the pressure-temperature ratings shown in the Summary Table, but in all cases the ratings are less than or equal to those shown in the Summary Table. An example of this would be collars, glands, or tube nipples.

Additional options that do not affect pressure-temperature ratings may be made available within the scope of this registration.

Quality System

The Swagelok Company quality system complies with the requirements of BS EN ISO 9001:2008. The Swagelok Company maintains British Standards Institution Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate. IPT Fittings are manufactured at a Swagelok Company location in Erie, Pennsylvania.

References

The product catalog does not represent the full scope of registration, but rather details some of the most common options.

Medium and High Pressure Valves, Fittings and Tubing Catalog MS-02-472