02-04-16; 03: 32PM; ; 902-368-5526 UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NUNAVUT

NOVA SCOTIA YUKON

PRINCE EDWARD ISLAND NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Swagelok Company						
MANUEACTUREDE ABOREGO.	11.00.010.0					
PLANT LOCATIONS: Headquarters: 29500 Solon Road, Solon, Ohio 44139-3492 (See Attachment A)						
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE	ATEROPY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION				
A Pipe fittings, including couplings, tees, elbows, Ye, pluge, unions, pipe cap B Fianges: all flanges C Valves: all line valves	s, or raducers	The RMA Handbook				
Expansion joints, flexible connections, and hose assemblies: all types E. Strainers, filters, caparators, and steam traps		i				
.F Massuring devices, including pressure gauges, level gauges, sight classes	JAvais or					
pressure transmitters G Carlifed capacity-rated pressure relief devices acceptable as primary over		į				
PONCIO. PIDUOLIO YOSSUIN. DIDIDO NOO IURIDIA TIIITA		1				
H Pressure retaining components that do not fall into one of the above categoric N Nuclear components: Class 1 🗆 Class 2 🗆 Class 3 🗀, (Meeting AECB	orles					
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL A	or ASME (aquirements)					
	FERNON THE PRODUCT	TYPE OF CONSTRUCTION FORGED C WELDED C WROUGHT E' CAST C OTHER C				
Sugaralal	Ì	CAST CI OTHER CI DESCRIBE OTHER;				
MOGRIOK						
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE		ISTERED:				
ISO 9001:2008 Quality System Certificate, Support Documents, Atta	ichments A, B, C, D, E					
		ļ.				
		1				
DECLARATION: David H, Peace teacets a small lead hy Suizeralak						
responsibility for the quality of the and product do selembly declare the	nt that industrally a second to	ig the person having full authority and				
manufacture of these filtings is requisited by a Outlin Costol Description	n vie nerein named elendei	ds. I further declare that the				
declaration conscientiously believing it to be true and knowing that it	is of the same force and eff	ect as if made upde de in a				
Signature of Declarer:						
Declared before me at Mon this	USETHIS					
This 33 day of Classician AD 3014	X					
or Notary Public: (sign) Thu A. DUIVEL State of Ohio, Summit County						
(Affix Official see, to the right) Wy Con	nmission Expires April 19, 2015					
This space for Regulatory Authority use						
This registration must be revaildated after ter	n (10) years from the date o	f acceptance.				
CRN: OD14205.5 REV1	ACCEPT					
FID#: 1214	PROVINCE OF PRINCE I	DWAID HEAD				
Liph:	COMMUNITIES, LAND					
Notes;	CHM 0014	205, 59 Red1				
1. All fillings shall be registered in the name of the Manufacturer	-C-a	WY(15				
Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.	DATE					
3. The declaration shall be made by the person having full authority and		2				
responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation	INSPECTION SERVI	CES SECTION				
at a maximum interval of live (6) years.	BOILER/PRESSURE V	DOUBLE BRANCER				
I ·						

Attachment B. Scope of Registration for Swagelok Coreflex PTFE (WC) Hose Assemblies (Category D)

Product Scope

This document represents the scope of Swagelok Coreflex WC PTFE Hose Assemblies covered by this submission for CRN approval. These Swagelok Coreflex WC PTFE Hose Assemblies have been evaluated in accordance with the Rubber Manufacturer's Association (RMA) Handbook and ASTM D380 Test Methods for Rubber Hose.


Summary Table

Product Description	Pressure Retaining	End Connection & Sizes	Nom. Hose	Maximum Working Pressure in (Psig)		Design Code of
or Series	Material		Size (in.)	@ Min65°F	@ Max. 450°F	Construction
W Series	Core: Carbon Black-filled (PTFE) [WC] Covered by: Fiber Braid & Insulating Wrap & 304 Series Stainless Steel Braid & Silicon Cover	Swagelok Tube Fitting: 1/8" to 2" & 3, 6,10,12,18,25,38,50 mm Swagelok Tube Adapters:1/8" to 2" & 3, 6,10,12,18,25,38,50 mm Female Pipe Threads NPT:1/8" to 2" Male Pipe Threads NPT: 1/8" to 2" Tube Stubs: 1/8" to 2" & 3, 6,8,10,12,18,25, 38, 50 mm *Sanitary Kwik –Clamps: 1/2" to 2" Tube Butt Welds: 1/2" to 2" Female VCO O-ring Face Seal Fitting:	3/8"	750	750	
	With: Annealed 316 Stainless Steel End Connections OR 316 Strain Hardened End Connections OR 316L Stain Hardened Stainless Steel End Connections & 304L Stainless Steel Crimp on Collar	1/8" to 2" Female VCR Metal Gasket Face seal Fitting: 1/8" to 2" *TS series Sanitary Clamps: 1/2" to 1" Male Pipe threads, ISO/BSP Tapered (ISO 7): 1/4" to 1" Male ISO/BSP Parallel Threads W/ 60° Male cone (ISO 228): 1/4" to 1" Female Pipe Threads, ISO/BSP Tapered (ISO 7): 1/4" to 1" Female ISO/BSP Parallel Threads (ISO 228): 1/4" to 1"	1/2"	750	750	Rubber Manufacturers Association Handbook
		Female Swivel ISO/BSP Parallel Threads W/ 30° Cone: 1/4" to 1/2" Female Swivel ISO/BSP Parallel Threads W/ 60° Cone:1/4" to 1/2"	3/4"	500	500	

Working Pressure for W Series PTFE Hose (WC Series)								
Hose		Temperature in (°F)						
Size (in)		-65 to 100	200	300	400	450		
3/8"	Max. Working Pressure (PSIG)	750	750	750	750	750		
1/2"	Max. Working Pressure (PSIG)	750	750	750	750	750		
3/4"	Max. Working Pressure (PSIG)	500	500	500	500	500		

Product Illustration

WC series is standard Swagelok virgin PTFE-lined hose with fiber braid reinforcement, ceramic wrap insulation, 304 stainless steel reinforcement, and a silicone cover. All end connection inserts are crimped onto the hose using crimp collars.



Typical Product Characteristics

Some of the product options listed below do not affect the pressure-temperature ratings shown in the Summary Table. All of the following options are within the scope of this registration:

Cover Options

- Armor guard Interlocking, flexible 304 stainless steel.
- Fire jacket Woven fiberglass coated with specially compounded aerospace-grade silicone rubber
- Spiral guard Helical HDPE plastic

Tag and Marking Options

- Mat tag Polyester tag with customer-specified text
- Perma tag Polyester tag encapsulated in platinum-cured silicone with customer-specified text
- · Lanyard tag Stainless steel tag with customer-specified text

End Connection Seals or Sealants Options

- VCO O-rings
- Pipe Thread ends thread sealant
- Flange and Sanitary Ends gaskets

All of the above options are within the scope of this approval.

Quality System

The Swagelok Company quality system complies with the requirements of BS EN ISO 9001:2008. The Swagelok Company maintains British Standards Institution Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate. The Swagelok Coreflex PTFE Hose Assemblies (WC) are manufactured at a Swagelok Company location in Solon, Ohio.

References

The product catalog does not represent the full scope of the registration but rather details some of the most common options.

Hose Assemblies, Bulk Hose, and End Connections Product Catalog MS-01-180 R8