

TECHNICAL STANDARDS & SAFETY AUTHORITY

14th Floor, Centre Tower 3300 Bloor Street West Toronto, Ontario Canada M8X 2X4 Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below

Swagelok

	STATUTORY DEC			
D ///	Registration of	ruung	S	
I, David H. F	Peace, Vice President of Engineering	011	·	
	. (Name and Position, e.g. President, Plant Mar	nager, Chiei	Engineer)	
of Swagelok				
	(Name of Manufacturer)			
Located at	29500 Solon Road, Solon, Ohio 44139 USA (See Attachme	ent A)	(440) 248-4600	(440) 349-5970
	(Plant Address)		(Telephone No.)	(Fax No.)
and Pi	emnly declare that the fittings listed hereunder, which are subjeressure Vessels Regulation, comply with all of the requirement B31.1 and ASME B31.3, for unlisted components where ap	nts of plicable	Technical Standard	Is and Safety Act, Boilers
which s	(Title of recognized North American S specifies the dimensions, materials of construction, pressure/temper		gs, identification markir	ig the fittings and service;
	not covered by the provisions of a recognized North American as supported by the attached dare/temperature ratings and the basis for such ratings, the markings.	ata which	identifies the dimensio	ns, material of construction,
	are that the manufacture of these fittings is controlled by a quality which has been verified by the following authority, The Britis	sh Standa	ards Institution	
	ered by this declaration, for which I seek registration, are category \underline{C}	(Swagel	ok GU Series Valves) type fittings. In support of
	n, the following information and/or test data are attached as follows:	SO 0001	2009 Cortificato	
Attachment	A, Attachment B, Support Documents, Catalog Information, Is (drawings, calculations, test repo		2006 Certificate	
	(urawings, calculations, test repo	113, 610./		
Declared bet	fore me atin the _	5	ate	of ChiO
the	day of January AD 20 16.			
Commission	Resident Portage County Resident Portage County Rotary Public, State of Ohio (Printed name) My Commission Expires: 03/06/2 (Signature)	019 	(Signature of L	Declarer)
Technical Sta	my knowledge and belief, the application meets the requirements and Safety Act, Boilers and Pressure Vessels Regulation B51 and is accepted for registration in Category CSA - OCI8 297. 56 A BANWATT	of the on, and R	EGISTERED RN.C.SA-OC gned: ASA	18-97.56 was
Dated:	APRIL. 18. 2016	177	nte: /Ø/o4/ B Rexdale Boulevard, Toronto,	ON Canada M9W 1R3
NOTE: This	radistration expires on: MARCH: 02:2	ADD CIBE	ı	


Attachment B. Scope of Registration for Swagelok General Utility Service Needle Valve (Category C)

Product Scope

This document represents the scope of Swagelok General Utility Service Needle Valve covered by this submission for CRN approval. The Swagelok GU Series Needle Valves were designed and evaluated in accordance with ASME B31.1 and ASME B31.3 as unlisted components.


Summary Table


Product Description or Series	Main Pressure Bearing Components	Material / Specification	End Connections and End Connection Sizes	Minimum Temperature	Maximum Allowable Working Pressure (psig)		Design Code
					At 70°F	At 650°F	of Construction
4GU	Body, Bonnet	316 SS / ASTM A479	Female NPT: ¼", 3/8", ½" Male NPT ¼", 3/8", ½" Tube Socket Weld: ¼", 3/8", ½"; 6mm, 8mm, 10mm, 12mm	-20°F	6000	3660	ASME B31.1 ASME B31.3
8GU	Body, Bonnet	316 SS / ASTM A479	Female NPT: 1/2", ¾", 1" Male NPT: 1/2", ¾", 1" Tube Socket Weld: 1/2", ¾", 1"; 12mm, 14mm, 16mm	-20°F	6000	3660	ASME B31.1 ASME B31.3
16GU PS-48306	Body, Bonnet	316 SS / ASTM A479	Female NPT: ¾", 1" Male NPT: ¾", 1" Tube Socket Weld: ¾", 1"; 14mm, 16mm, 18mm, 25mm	-20°F	4500	3660	ASME B31.1 ASME B31.3



0018297.5

Product Drawings/Configurations





Typical Product Characteristics:

Some of the product options listed below affect the pressure-temperature ratings shown in the Summary Table, but in all cases the ratings are less than those shown in the Summary Table. All of the following options are within the scope of this registration:

PTFE packing material Graphite packing material

Some of the product options listed below do not affect the pressure-temperature ratings shown in the Summary Table. All of the following options are within the scope of this registration:

Straight or Angle-Pattern Bodies Male or Female End Connections High-Temperature Seals Anti-tamper Handles Round Lockable Handles Cleaning Options

Quality System

The Swagelok Company quality system complies with the requirements of BS EN ISO 9001:2008. The Swagelok Company maintains British Standards Institution Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate. The Swagelok GU Series Needle Valves are manufactured at a Swagelok Company locations in Solon, Ohio.

Special Ordering Instructions

SS-16GU must be ordered with Process Sheet PS-48306 to ensure that the correct rating is marked on the valve.

References

The product catalog does not represent the full scope of registration, but rather details some of the most common options.

General Utility Service Needle Valves MS-02-312

CSA 40-4

ATTACHMENT TO

C.R.N.C.SH - OC18-97, 516

Signed: OSB Sould

178 Rexdate Boutevard, Terchio, ON Canada (M9W) 1R3

00/8297.5