UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS NEW BRUNSWICK NOVA SCOTIA PRINCE EDWARD ISLAND NEWFOUNDLAND AND LABRADOR NUNAVUT YUKON NORTHWEST TERRITORIES MANUFACTURERS NAME: Swagelok Company MANUFACTURERS ADDRESS: 29500 Solon Road, Solon, Ohio 44139 USA Headquarters: 29500 Solon Road, Solon, Ohio 44139 USA (See Attachment A) CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY A Pipe fittings, including couplings, teas, elbows, Ys, plugs, unions, pipe caps, or reducers ASME B31.1 for Planges: all flanges unlisted components. C Valves: all line valves Expansion joints, flexible connections, and hose assemblies: all types ASME B31.3 for E Strainers, filters, separators, and steam traps unlisted components F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Cartified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible pluga H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐, (Meeting AECB or ASME requirements) SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT TYPE OF CONSTRUCTION FORGED | WELCED | WRDUGHT | CAST | O THER | DESCRIBE OTHER: LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: ISO 9001:2015 Certificate, Attachment A, Attachment B, Catalog Information and other Support Documents DECLARATION: | Joel Feldman, Vice President, Engineering (see note 3) employed by_ Swagelok Company and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by RSI as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath. Signature of Declarer: Inable to get a notary signature HIS SPACE FOR THE Declared before me at seal the to Covid-19 situation FFICIAL SEAL day of Commissioner of Oaths April 22, 2020 or Notary Public: (sign) (Affix Official seal to the right) This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance OC22506.5 CRN: 1214 BV series Bleed valves and P series Purge valves series. 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration 0C22506.5Y forms and one copy of supporting documentation.

07/17/2020

3. The declaration shall be made by the person having full authority and

4. Quality control programs shall be reaubmitted for validation

responsibility for the quality of the end product.

at a maximum interval of five (5) years. CRN expires June 17, 2030 - DG



Canadian Registration Number Submittal Category C: Swagelok Bleed Valves and Purge Valves

THIS IS PART OF CRN 0C22506.5 Technical Standards and Safety Authority Boilers and Pressure Vessels Saferyate: May 29,2020

Page 1 of 2

Attachment B: Scope for Swagelok BV Series Bleed Valves and P Series Purge Valves (Category C)

This document represents the scope of the Swagelok BV Bleed Valves and P Purge Valves covered by this submission for CRN approval. These products were designed and evaluated in accordance with ASME B31.1-2018 for unlisted components and ASME B31.3-2018 for unlisted components.

Summary Table

| | | | | Maximum Rate | ed Pressure | |
|-------------------|--|--|--|---|--------------------|---|
| Product Series | Main Pressure Bearing Component | Main Pressure Bearing Material (Standard) | Port Connections, Sizes | (psig) | | Design Code |
| | | | | At -65 to 100°F (except Carbon Steel) | At max temperature | of Construction |
| BV | Body, Stem | 316 SS (ASTM A479) | Male NPT 1/8", 1/4", 3/8", 1/2" | 10,000 | 6085 @ 850°F | ASME B31.1 (Unlisted Components) and ASME B31.3 (Unlisted Components) |
| | | | Male ISO 1/4",1/2" | | | |
| | | | Male SAE 1/4",1/2" | 4,568 | 4568 @ 400°F | |
| BV | Body, Stem | 1018 Carbon Steel (ASTM A108) | Male NPT 1/8", 1/4", 3/8", 1/2" | 10,000 @ -20 to 100°F | 8630 @ 375°F | |
| | | | Male ISO 1/4",1/2" | | | |
| | | | Male SAE 1/4",1/2" | 4,568 @ -20 to 100°F | 4568 @ 375°F | |
| Р | Body, Cap | 316 SS (ASTM A479) | Female & Male NPT 1/8", 1/4", 3/8", 1/2" | 4000 | 2500 @ 600°F | |
| | | | Male ISO 1/8" | | | |
| | | | Swagelok Tube Fitting 1/8", 1/4", 3/8", 1/2", 6MM, 8MM | | | |
| | | | Male SAE 1/4", 1/2" | 4000 | 2850 @ 400°F | |
| Р | Body, Cap | 12L14 Carbon Steel (ASTM A108) | Female & Male NPT 1/8", 1/4", 3/8", 1/2" | 3000 @ -20 to 100°F | 3000 @ 250°F | |
| | | | Male SAE 1/4", 1/2" | | | |
| | | | Male ISO 1/8" | | | |
| | | | Swagelok Tube Fitting 1/8", 1/4", 3/8", 1/2", 6MM, 8MM | | | |



Canadian Registration Number Submittal
Category C: Swagelok Bleed Valves and Purge Valves

THIS IS PART OF CRN

0C22506.5

Technical Standards and Safety Authority

Boilers and Pressure Vessels Safety

Program

Date: May 29,2020 Page 2 of 2

| Product | Main Pressure | Main Pressure Bearing Material (Standard) | Port Connections, Sizes | Maximum Rated Pressure (psig) | | Design Code |
|---------|-------------------|--|---|----------------------------------|--------------------|--|
| Series | Bearing Component | | Fort Connections, Sizes | At -65 to 100° | At max temperature | Of Construction |
| Р | Body, Cap | Brass C36000 (ASTM B16) | Male NPT 1/8", 1/4", 1/2" | | 740 @ 400°F | ASME B31.1 (Unlisted Components) and ASME B31.3 (Unlisted |
| | | | Male ISO 1/8" | 3000 | | |
| | | | Swagelok Tube Fitting 1/8", 1/4", 3/8", 1/2", 6MM | | | |
| | | | Swagelok Tube Fitting 8MM | 2322 | O | |
| | | | Swagelok Tube Fitting 3/8" | 2200 | | |
| | | | Swagelok Tube Fitting 1/2" | 2100 | | |
| | | | 1/8" FNPT | 3000 | 640 @ 400°F | Components) |
| | | | 1/4" FNPT | 3000 | 660 @ 400°F | |
| | | | 3/8" FNPT | 2600 | 520 @ 400°F | |
| | | | 1/2" FNPT | 2400 | 480 @ 400°F | |
| | | | Male SAE 1/4", 1/2" | 2284 | 297 @ 400°F | |

Product Illustrations

BV Series Bleed Valves



P Series Purge Valves



Typical Product Characteristics:

Some of the product options listed below could affect the pressure-temperature ratings shown in the Summary Table, but in all cases the ratings are less than those shown in the Summary Table. All of the following options are within the scope of this registration:

BV Series Bleed Valves

Handles Vent Tubes

P Series Purge Valves

Ball Material (316SS standard, PTFE optional)

Quality System

The Swagelok Company quality system complies with the requirements of ISO 9001:2015. The Swagelok Company maintains BSI Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate.

References

The product catalog does not represent the full scope of registration, but rather details some of the most common options.

BV Bleed Valves and P Purge Valves Catalog MS-01-62, Rev N

THIS IS PART OF CRN 0C22506.5

Technical Standards and Safety Authority

Boilers and Pressure Vessels Safety

Attachment A. Swagelok Manufacturing Locations

This document lists the Swagelok locations where end item or component level manufacturing activities take place.

| Swagelok Company | Swagelok Company (Falon 1) | | |
|---|--|--|--|
| 29500 Solon Road | 348 Bishop Road | | |
| Solon, Ohio 44139 | Highland Heights, Ohio 44143 | | |
| USA | USA | | |
| Swagelok Company (Highland) | Swagelok Company (Falon 2) | | |
| 318 Bishop Road | 358 Bishop Road | | |
| Highland Heights, Ohio 44143 | Highland Heights, Ohio 44143 | | |
| USA | USA | | |
| Swagelok Company (OFC) | Swagelok Company (HPF) | | |
| 29495 F.A. Lennon Drive | 6050 Cochran Road | | |
| Solon, Ohio 44139 | Solon, Ohio 44139 | | |
| USA | USA | | |
| Swagelok Company (Atlantic) | Swagelok Company (Snow Metal) | | |
| 26651 Curtiss Wright Parkway | 6060 Cochran Road | | |
| Willoughby Hills, Ohio 44092 | Solon, Ohio 44139 | | |
| USA | USA | | |
| Swagelok Company (Micro) 26653 Curtiss Wright Parkway Willoughby Hills, Ohio 44092 USA | Swagelok Company (Alfred) 29500 Ambina Drive Solon, Ohio 44139 | | |
| Swagelok Hose Services Company (SHSC) | Swagelok Company (Strongsville) | | |
| 29900 Solon Industrial Parkway | 15400 Foltz Road | | |
| Solon, Ohio 44139 | Strongsville, Ohio 44119 | | |
| Swagelok (China) Fluid System Technologies Ltd. Changshu Export Process Zone Changshu Economic Development Zone Changshu, Jiangshu 215513 China | Swagelok Limited Ballafletcher Road Tromode IM4 4RA Isle of Man | | |