UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NUNAVUT NOVA SCOTIA YUKON

PRINCE EDWARD ISLAND NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Suggestate Co-	
MANUFACTURERS A DROPES	
PLANT LOCATIONS: Headquarters: 29500 Solon Road, Solon, Ohio 44139-3492 (S	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	See Attachment A)
I C TIPP HUBBLE HIGHER CONTINUES ISSUE Albane Ve at	TITLE OF THE STANDARD OF CONSTRUCTION
C) Valvas: all line valvas	British Standards Institution
D Expansion joints, flavible connections, and because it is	
E Strainers, filters, separators, and steem traps F Measuring davices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters	
pressura transmitters	
G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on bollers, pressure vessele, piping and fusible plugs	
H Pressure retaining components that do not fall into one of the	<u> </u>
in studiest components: Cigas 1 D Class 2 D Class 3 D 4s	. {
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PROD	OUCT TYPE OF CONSTRUCTION
	FORGEO D WELDED D WEDLOWS D
Soul O D Miles	OESCRIBE OTHER
CAMMACIOR	Injection Molded
LIST OF SUPPORTING DOCUMENTATION AND INCOME.	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO B	E REGISTERED
ISO 9001:2008 Quality System Certificate, Support Documents. Attachment B, Catalog In	Iformation
•	4
DECLARATION:	
Dayld H. Peace	
David H. Peace	ed baing tha person having full authority and
Dayld H. Peace	ROUNDY III INIS KOPPO IN PRICE and to the term of
David H. Peace (see one s) employed by Swagelok Company an esponsibility for the quality of the and product do aciemnly dactare that the information con ny knowledga represents the product for which ragistration is sought. The dimensions, maintenance of these fittings is considered in accordance with the harein named signature of these fittings is considered.	derials of construction, pressure
David H. Peace (see note 3) employed by Swagelok Company and responsibility for the quality of the and product do aciemnly dactare that the information con my knowledge represents the product for which registration is sought. The dimensions, maken parature ratings, and identification markings are in accordance with the harein named storm in part and has been verified by a Quality Control Program which extends to see	Relief in this form is true and to the best of iterials of construction, pressure tenderds, I further dectare that the ich plant where fabrication construction
David H. Peace (see note 3) employed by Swagelok Company and responsibility for the quality of the and product do aciemnly dactare that the information con my knowledge represents the product for which registration is sought. The dimensions, maken parature ratings, and identification markings are in accordance with the harein named storm in part and has been verified by a Quality Control Program which extends to see	Relief in this form is true and to the best of iterials of construction, pressure tenderds, I further dectare that the ich plant where fabrication control is a light where fabrication control is a light where fabrication
David H. Peace (see note 3) employed by Swagelok Company and responsibility for the quality of the and product do aciemnly dactare that the information company knowledge represents the product for which registration is sought. The dimensions, makenparature ratings, and identification markings are in accordance with the harein named strength of these fittings is regulated by a Quality Control Program which extends to each of the same force a declaration conscientiously believing it, to, be, true, and knowing that it is of the same force a	Reliable in this form is true and to the best of iterials of construction, pressure transacts, i further dectare that the ich plant where fabrication control where fabrication control is the control of
David H. Peace [see note 3] employed by Swagelok Company and responsibility for the quality of the and product do aciemnly dactare that the information company knowledge represents the product for which registration is sought. The dimensions, make manufacture ratings, and identification markings are in accordance with the harein named significant of these fittings is regulated by a Quality Control Program which extends to each or in part and has been verified by The British Standards Institution as being suitable in declaration conscientiously believing it to be true, and knowing that it is of the same force a Signature of Declarar:	Reliable in this form is true and to the best of iterials of construction, pressure transacts, i further dectare that the ich plant where fabrication control where fabrication control is the control of
Dayld H. Peace See note 3) employed by Swagelok Company and responsibility for the quality of the and product do aciemnly dactare their the information company knowledge represents the product for which registration is sought. The dimensions, makenparature ratings, and identification markings are in accordance with the harein named store of these fittings is regulated by a Quality Control Program which extends to each or in part and has been verified by The British Standards Institution as being suitable declaration conscientiously believing it to be, true and knowing that it is of the same force a Signature of Declarar:	iterials of construction, pressure transards, i further dectare that the ch plant where fabrication occurs in whole for that purpose and I make this aolemn and effect es if mada under oath.
manufacture ratings, and identification markings are in accordance with the harein named signature of these fittings is regulated by a Quality Control Program which extends to early a quality control program which extends to early and has been verified by The British Standards Institution as being suitable as declaration conscientiously believing it to be true, and knowing that it is of the same force a Signature of Declarar: Declared before me at This 154 USETH	it is fine and to the best of derials of construction, pressure tendards. I further dectare that the ich plant where fabrication occurs in whole for that purpose and I make this solemn and effect es if made under oath.
I David H. Peace Issue note 3) employed by Swagelok Company and responsibility for the quality of the and product do aciemnly dactare that the information commy knowledge represents the product for which registration is sought. The dimensions, makings are in accordance with the herein named such and has been verified by The British Standards Institution as being suitable deciaration conscientiously believing it/o, be, true, and knowing that it is of the same force a Signature of Declarar: Declared before me at	it is some is true and to the best of iderials of construction, pressure tendards. I further dectare that the ich plant where fabrication occurs in whole for that purpose and I make this solemn and effect es if made under oath.
David H. Peace Issue note 3) employed by Swagelok Company and product do aciemnly dactare their the information completely not the quality of the and product do aciemnly dactare their the information completely not the product for which ragistralion is sought. The dimensions, make manufacture of these fittings is regulated by a Quality Control Program which extends to each or in part and has been verified by The British Standards Institution as being suitable in declaration conscientiously believing it to be, true, and knowing that it is of the same force a signature of Declarar: Declared before me at	iterials of construction, pressure tendards. I further dectare that the ch plant where fabrication occurs in whole for that purpose and I make this aolemn and effect es if mada under oath.
David H. Peace less note 3) employed by Swagelok Company and product do aciemnly dactare that the information company knowledge represents the product for which registration is sought. The dimensions, make manufacture of these fittings is regulated by a Quality Control Program which extends to each or in part and has been verified by The British Standards Institution as being suitable of declaration conscientiously believing it, to, be, true, and knowing that it is of the same force a signature of Declarar: Declared before me at	iterials of construction, pressure tendards, I further dectare that the chiplant where fabrication occurs in whole for that purpose and I make this solemn and effect es if mada under oath.
David H. Peace Issue note 3) employed by Swagelok Company and product do aciemnly dactare that the information compound the product for which ragistration is sought. The dimensions, make manufacture of these fittings is ragulated by a Quality Control Program which extends to each or in part and has been verified by The British Standards Institution as baing suitable declaration conscientiously believing it to be, true, and knowing that it is of the same force a Signature of Declarar: Declared before me at	iterials of construction, pressure tendards, I further dectare that the tendards, I further dectare that the chiplant where fabrication occurs in whole for that purpose and I make this solemn and effect es if mada under oath.
David H. Peace Issence Issence	iterials of construction, pressure tendards, I further dectare that the tendards, I further dectare that the chiplant where fabrication occurs in whole for that purpose and I make this solemn and effect es if mada under oath.
David H. Peace Issence Issence	iterials of construction, pressure tendards, I further dectare that the tendards, I further dectare that the chiplant where fabrication occurs in whole for that purpose and I make this solemn and effect es if mada under oath.
David H. Peace Issence Issence	iterials of construction, pressure tendards, I further dectare that the tendards, I further dectare that the chiplant where fabrication occurs in whole for that purpose and I make this solemn and effect es if mada under oath.
David H. Peace	iterials of construction, pressure tendards, I further dectare that the tendards, I further dectare that the chiplant where fabrication occurs in whole for that purpose and I make this solemn and effect es if mada under oath.
David H. Peace	iterials of construction, pressure tendards, I further dectare that the tendards, I further dectare that the chiplant where fabrication occurs in whole for that purpose and I make this solemn and effect es if mada under oath.
David H. Peace Issee note 3) employed by Swagelok Company and product do aciemnly dactare thet the information complet the product for which ragistration is sought. The dimensions, makings are in accordance with the harein named such in part and has been verified by The British Standards Institution as being suitable of clearartion conscientiously believing it, to, be true, and knowing that it is of the same force a signature of Declarar: Declared before me at	iterials of construction, pressure tendards, I further dectare that the tendards, I further dectare that the chiplant where fabrication occurs in whole for that purpose and I make this solemn and effect es if mada under oath.
David H. Peace Issue note 3) employed by Swagelok Company and product do aciemnly dactare that the information compositive ratings, and identification markings are in accordance with the harein named strength and has been verified by The British Standards Institution as baing suitable to declaration conscientiously believing it to be true, and knowing that it is of the same force a signature of Declarar: Declared before me at	iterials of construction, pressure tendards, I further dectare that the tendards, I further dectare that the chiplant where fabrication occurs in whole for that purpose and I make this solemn and effect es if mada under oath.
Dayld H. Peace Issee color 3 employed by Swagelok Company esponsibility for the quality of the and product do aciemnly dactare their the information con my knowledge represents the product for which registration is sought. The dimensions, ma emparature ratings, and identification markings are in accordance with the harein named so manufacture of these fittings is regulated by a Quality Control Program which extends to each or in part and has been verified by The Britishr Standards Institution as being suitable in declaration conscientiously believing it, to, be, true, and knowing that it is of the same force a signature of Declarar: Declared before me at	iterials of construction, pressure tendards, I further dectare that the tendards, I further dectare that the chiplant where fabrication occurs in whole for that purpose and I make this solemn and effect es if mada under oath.
David H. Peace	iterials of construction, pressure tendards, I further dectare that the tendards, I further dectare that the chiplant where fabrication occurs in whole for that purpose and I make this solemn and effect es if mada under oath.
David H. Peace Jesponsibility for the quality of the and product do aciemnity dactare their the information comy knowledge represents the product for which registration is sought. The dimensions, may knowledge represents the product for which registration is sought. The dimensions, may knowledge represents the product for which registration is sought. The dimensions, may be the product for which registration is sought. The dimensions, may be the product for which registration is sought. The dimensions, may be the product for which registration is sought. The dimensions are in accordance with the harein named is the manufacture of these fittings is regulated by a Quality Control Program which extends to each calcium as being suitable of the same force a deciaration conscientiously believing it to be true and knowing that it is of the same force a signature of Declarar: Declared before me at the fitting of the same force and the s	iterials of construction, pressure tendards. I further dectare that the chiplant where fabrication occurs in whole for that purpose and I make this solemn and effect es if mada under oath.
David H. Peace Jesponsibility for the quality of the and product do aciemnity dactare that the information con my knowledge represents the product for which registration is sought. The dimensions, ma emparature ratings, and identification markings are in accordance with the harein named at manufacture of these fittings is regulated by a Quality Control Program which extends to each or in part and has been verified by The British Standards Institution— as being suitable in deciaration conscientiously believing it to be true, and knowing that it is of the same force a deciaration of Declarar: Declared before me at Chin Thir. USA USE TH Commissioner of Oaths— Lori A. Sarver, Notary Public State of Ohio, Summit County Public: (sign)————————————————————————————————————	iterials of construction, pressure tendards, I further declare that the tendards, I further declare that the chiplant where fabrication occurs in whole for that purpose and I make this solemn and effect es if mada under oath.

Attachment A. Swagelok Manufacturing Locations

This document lists the Swagelok locations where end item or component level manufacturing activities take place.

Swagelok Company	Swagelok Company (Falon 1)		
29500 Solon Road	348 Bishop Road		
Solon, Ohio 44139	Highland Heights, Ohio 44143		
USA	USA		
Swagelok Company (Highland)	Swagelok Company (Falon 2)		
318 Bishop Road	358 Bishop Road		
Highland Heights, Ohio 44143	Highland Heights, Ohio 44143		
USA	USA		
Swagelok Company (OFC)	Swagelok Company (HPF)		
29495 F.A. Lennon Drive	6050 Cochran Road		
Solon, Ohio 44139	Solon, Ohio 44139		
USA	USA		
Swagelok Company (Atlantic)	Swagelok Company (Snow Metal)		
26651 Curtiss Wright Parkway	6060 Cochran Road		
Willoughby Hills, Ohio 44092	Solon, Ohio 44139		
USA	USA		
Swagelok Company (Micro) 26653 Curtiss Wright Parkway Willoughby Hills, Ohio 44092 USA	Swagelok Company (Alfred) 29500 Ambina Drive Solon, Ohio 44139		
Swagelok Hose Services Company (SHSC)	Swagelok Company (Strongsville)		
29900 Solon Industrial Parkway	15400 Foltz Road		
Solon, Ohio 44139	Strongsville, Ohio 44119		
Swagelok Company (Strongsville) 21693 Drake Road Strongsville, Ohio 44149	Swagelok Company A.G. (European Technology Center) St. GallerstraBe 84 Lachen, Switzerland 8853 Switzerland		
Swagelok Limited Tromode IM4 4RA Isle of Man	Swagelok BV Markweg 21 2153 PG, Nieuw-Vennep S IS PART OF Netherlands		
Swagelok (China) Fluid System Technologies Ltd. Changshu Export Process Zone Changshu Economic Development Zone Changshu, Jiangshu 215513 China	Technical Standards & Safety Authority Epitars & Pressure Vessels Safety Program		

Attachment B: Scope of CRN Registration for Swagelok 43 Series PFA Plug Valves (Category C)

This document represents the scope of the 43 Series PFA Plug Valves covered by this submission for CRN approval. The Swagelok 43 Series PFA Plug Valves were designed and evaluated in accordance with ASME B31.1 for unlisted components and ASME B31.3 for unlisted components.

Summary Table

Product	Main Pressure Pressure Bearing	Main Pressure Bearing	Port	Maximum Rated Pressure		Design Code of
Description or Series	Bearing Component	Material (Standard)	Connections and Sizes	At ambient temperature	At maximum temperature	Construction
43S4	Body	PFA (ASTM D3307)	Swagelok Tube Fitting 1/4"	50 psi @ 70 ⁰ F (see Note)	30 psi @ 140 °F	ASME B31.1 (Unlisted Components)

Note: The ambient temperature pressure rating in the above table is based on the highest pressure attained in the witness pressure test divided by ten.

Product Illustration





Quality System

The Swagelok Company quality system complies with the requirements of BS EN ISO 9001:2008. The Swagelok Company maintains British Standards Institution Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate. The 43 Series PFA Plug Valves are manufactured at a Swagelok Company location in Solon, Ohio.

References

The product catalog does not represent the full scope of registration, but rather details some of the most common options.

PFA Plug Valve Catalog MS-01-56, R7